

1: / /

. 1.1

: Normafloor 200 Color / Normafloor 205

. 1.2

.

2-

. 1.3

Nor-Maali Oy
Vanhatie 20,15240 Lahti, FINLAND

. 1.4

Nor-Maali Oy (- 08.00 16.00):+ 358 3 874 650 ()

2:

. 2.1

() 1272/2008



Skin Corr. 1B H314
Eye Dam. 1 H318



Acute Tox. 4 H302
Skin Sens. 1 H317

. 2.2

(EC) 1272/2008

(CLP).



GHS05 GHS07

3-

-3,5,5-

H302
H314
H317

: Normafloor 200 Color / Normafloor 205

(2)

5:

. 5.1

: C , CO ,

. 5.2

. 5.3

6:

()

. 6.1

. 6.2

. 6.3

. 6.4

7.

8.

13.

7:

. 7.1

. 7.2

. 7.3

()

8:

/

7.

: Normafloor 200 Color / Normafloor 205

(3)

. 8.1

:	
100-51-6	
HTP	: 45 /m ³ , 10 ppm
PDK	: 5 /m ³

2016 HTP

. 8.2

P2 (Iib).



9:

. 9.1

pH:	
-----	--

(5)

: Normafloor 200 Color / Normafloor 205

(6)

14:

. 14.1 UN
. ADR, IMDG, IATA UN3066

. 14.2
. ADR
. IMDG, IATA PAINT

. 14.3
. ADR, IMDG, IATA



8

. 14.4
. ADR, IMDG, IATA III

. 14.5 :
.

. 14.6
. Stowage Category A
. Stowage Code SW2 Clear of living quarters.

. 14.7 II MARPOL73/78 (
) IBC Code (
)

. / :

. ADR (LQ) 5L
. 3
. E

. IMDG EMS: F-A, S-B
. Limited quantities (LQ) 5L

. UN "Model Regulation": UN 3066 , 8, III

15:

. 15.2 :

: Normafloor 200 Color / Normafloor 205

(7)

16:

- H302
- H312
- H314
- H317
- H332
- H412

: Nor-Maali Oy, +358 3 874 650 sds@nor-maali.fi

- Acute Tox. 4: Acute toxicity – Category 4
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*